

MANAGEMENT OF CHANGE FORM (REFER TO PROCEDURE EHS-I-006 FOR EXPLANATION OF THIS FORM)

DEPARTMENT: <u>Utilities</u> ORIGINATOR: <u>Joe Vittone</u>		MOC#: /83637 DATE: 09/19/2016
SECTION A	- TECHNICAL I	BASIS FOR PROPOSED CHANGE
Purpose and Technical Basis:		Al audit in January of 2016, a finding was documented that the as lines (2) do not have a cathodic protection system to protect oil corrosion.
Description: Attach additional paper if necessary	lines. These line the boiler room r	install a cathodic protection system on two buried natural gas es are from the Ameren station on the north side of the street to north wall. All excavations will be done using a hydro-vac ached drawing shows the locations of test stations and anode
Impact of Change On Env / Health / Safety: If there will be no effects, describe the thought process used to determine this.	The addition of t buried gas lines.	the cathodic protection system will monitor the integrity of the .
SECTION B - DOCUMEN	ITATION - Attach	h appropriate documentation illustrating proposed changes
Procedures PSM Documentation MSDS Information Training/Communication Quality Issues	Inspections, To CHEMGEMS: Energy Control Alarm Respon Customer Imp	Specifications
Affected Personne	I Needing To Be	e Informed/Trained On Proposed Change
□ Operations □ Production Facilitators □ Mechanics/Welders □ Electricians	☐ I/E Tech ☐ Enginee ☐ Contract ☐ Office Pe	ering Regulatory Entities
SECTION C - Is Change Perm	anent?	SECTION D - Is Change Temporary ?
YES 1 Pro NO Coi	sed Project Start Date 0/03/2016 posed Project mpletion Date 2/28/2017	☐ YES From: ☐ NO To:
SECTION E - Is Change Emer		
Yes Start:	gency f	Returned To Original Service:// Area Mgr./Designee Signature:
Approval Received From:		
	Eng./Designee	Extended To:/*
Plant Mgr./Designee Tech	nical Services /Designee Mgr./Designee	Plant Managers Approval: Signature: Date:
Approvals Received By:		
Signature L	Date	*Note: Temporary MOC's may be extended up to 6 months at a time

Page 1 of 7 EHS-F-041 Distribution Date: 05/25/2016



•		
SECTION F - DESIGN SAFETY REVIEW		
PHA. Does the proposed change require a PHA? (i.e. What-if/Checklist, HazOp, Revalidation, Review) If yes indicate type of PHA in Action to be Taken section.	□YES	⊠no
PSSR. Does the proposed change require a Pre-Start-up Safety Review (PSSR)? See EHS-I-067 for Requirements. Mandatory if change involves DCS Interface.	⊠YES	□NO
1. RELIEF AND BLOWDOWN		
Does the Proposed Change:	YES	NO
Introduce or alter any potential cause of over/under pressurizing of the system?		\boxtimes
In any way affect existing equipment installed to prevent over/under pressurization?		\boxtimes
Introduce or alter any potential cause of raising/lowering the system temperature?		
Introduce a risk of creating/reducing vacuum in the system?		
Have any critical relief devices been identified for verification of proper rating and installation?		\boxtimes
2. AREA CLASSIFICATION		
Does the Proposed Change:	YES	NO
Introduce or alter the storage of flammable materials?		<u> </u>
Introduce or alter the location of potential leaks of flammable materials?		\boxtimes
Introduce new or alter existing electrical equipment?		\boxtimes
Does the new or altered electrical equipment need to be suitable for electrically classified areas?		
5. Require the installation of new or modified combustible liquid material handling systems? (Grounding action item	required)	\square
6. Require the installation of new or modified dust material handling systems? (Grounding action item required)		\boxtimes
7. Affect area ventilation?		
A yes answer to any question in this section requires a review by the Electrical Engineer prior to routing	for approval signati	ures.
3. SAFETY CONSIDERATIONS		
Does the Proposed Change:	YES	NO NO
Require any additional safety equipment or layers of protection?	<u></u>	
Alter or affect existing safety equipment or means of egress?	<u>_</u>	<u> </u>
3. Require changes to the function or independence of existing equipment or layers of protection?		<u> </u>
Alter or affect critical safety instrumented functions (SIF's)?		<u> </u>
5. Alter the noise level in the surrounding area?		
Increase the potential for exposure to any chemicals?	<u>-</u>	<u> </u>
7. Introduce a new or previously unused chemical/raw material?		<u> </u>
Affect de-energization? (able to lock-out, drain materials)		<u>X</u>
9. Create any ergonomic concerns?		
10. Affect any Battery Limit Valves (BLV)?		
11. Affect the overall security of the facility?		<u> </u>
12. Does this increase the risk of potential impact to plant personnel (employees and contractors)?		<u> </u>
13. Does the proposed change affect facility siting relative to both people and equipment in any of the following stemporary changes, before startup after a permanent change, or before startup after temporary change has removed/clased/returned to original condition?	been	<u> </u>
14. If the proposed change affects replacement or demolition of piping or conduit, will the entire run be identified clearly marked prior to work to ensure safe work activity?		
15. Affect the safe transport of hazardous material? For ex., introducing a new hazardous material for transport changing the method of transportation of the hazardous material.	or \square	

EHS-F-041 Distribution Date: 05/25/2016 Page 2 of 7




	SECTION F - DESIGN SAFETY REVIEW						
	4. ENVIRONMENTAL CONSIDERATIONS (Consult Env. Engineer for completion of this section)						
		YES	NO				
1.	Will there be a potential increase in the maximum production rate, which exceeds the currently permitted design capacity of the facility?		\boxtimes				
2.	Will the replacement or modification change any of the basic parameters of the process unit, such as temperature, pressure, etc?		\boxtimes				
3.	Will the change cause increased emissions of regulated pollutants during installation, implementation, or during operations?		\boxtimes				
	Will there be any new vents added?						
	Will the change add, remove or modify any permitted emission units (Example: reactors, wash tanks, dryers, centrifuges, pack-out bins, screening towers, or styrene or pentane storage.)?						
6.	Will the project include the installation of a stationary engine with a ≤ 500 hp? If so, a non-resettable hour meter shall be installed to record operational hours and PMs shall be consistent with RICE NESHAP regulations and the manufacturer's recommended preventative maintenance.		<u> </u>				
7.	Will the project results in the increase in Facility's total throughput of natural gas?						
8.	Is there the potential to generate a new waste or increase the quantity of an existing waste?	Ц	<u> </u>				
	Will there be a change in the wastewater characteristics? If the project causes an increase to the discharge of wastewater to the Public Sanitary District, provide calculations with the MOC.						
10.	Does the project add or remove LDAR Components (Pumps, PRVs, Valves, and Connectors) that come in contact with styrene or pentane?						
11.	Does the project increase risk to off-site residential & environmental receptors?						
12.	Will the change affect the control of processes?						
13.	Will the change affect the composition or physical properties of the final product?	<u> </u>					
14.	Will new chemicals be brought onsite anytime during the project?						
15.	Does an evaluation of chemical compatibility need to be conducted during the project?						
	Will the project involve decommissioning or demolition of equipment or structure?		\boxtimes				
17.	If yes to 16, does National Emissions Standards for Hazardous Air Pollutants (NESHAP) or deconstruction permit apply?		\boxtimes				
18.	Will this project require a portable engine?		\square				
	5. OPERATION AND DESIGN						
Do	es the Proposed Change:	YES	NO				
1.	Affect the process or equipment upstream/downstream of the change?	<u> </u>					
2.	Affect access to process or equipment/controls for personnel?	<u> </u>					
3.	Introduce any new or affect existing interlocks or alarms systems?	Ц					
	Affect manpower or qualified personnel?						
6.	Affect the loads/strengths of existing foundations, structures, vessels, or pipe racks? Impact requirements of existing or proposed piping supports? (Needs to be adequately designed for expected		\square				
	stresses due to pressure and thermal loadings.) Affect process chemistry? (reactivity/compatibility)						
	Affect maximum intended inventory, which would require updating maximum inventory tables?						
	Affect safe upper/lower limits for such items as temperature, process flows or compositions?						
	Affect material/energy balances?						
	Affect plant utility resources? (i.e. steam, water, electricity, etc.)		\boxtimes				
	Affect equipment with heat-up/cool-down cycling requiring bolt retightening after start-up?		\boxtimes				
	Is an exception/revision to design codes or standards (CHEM-GEMS, etc.) required?		\boxtimes				
<u>.</u>	6. DCS / SIS / PLC LOGIC & PROGRAMMING						
Do	es the Proposed Change:	YES	NO				
1.	Alter the DCS/ SIS/ PLC Software logic of process operations?		\boxtimes				
	Alter the DCS response (alarm settings) for temperature, pressure, or timing? (Describe in Section A)		\boxtimes				
	Alter the DCS screen interface with the DCS operator? (Attach screen shots showing old and new view)		Ø				

EHS-F-041 Distribution Date: 05/25/2016 Page 3 of 7



Will the Proposed Change:	YES	NO
Introduce new or impact existing operational procedures?		\boxtimes
Introduce new or impact existing maintenance procedures?		\boxtimes
3. Add or Remove equipment/instrumentation? If yes, contact the Design/Drafting Technician.(Pre-PSSR)		\boxtimes
 If equipment/instrumentation is being added/removed, ITPM Request Form MIP-F-100 shall be completed by the MOC Originator, and approved form sent to the Maintenance Support Technician. (Post-PSSR) 		
5. Require training for operational or maintenance personnel? (contact Training and Procedure Coordinator)		
6. Require notification for operational or maintenance personnel?		
 Require updating controlled drawings? * (PFD'S, LDAR, P&ID's, Floor Plans, Electrical Single Lines, Loop Drawings/Electrical Schematics, MCC arrangement, MI Iso Drawings) Attach relevant, red-lined drawings. 		
8. Require updating equipment files? (If yes, include completed PSI equipment spec sheet)		
Require a spare parts list and inventory to be developed?		
10. Require major project spare equipment to be turned over to maintenance?		
11. Require equipment labeling in the field?		
12. Require updating of Alarm Response Tables or Operating Limits?		
13. Require a new/modification of existing energy control plans?		
14. Require a new/modification of existing blinding lists?		\boxtimes
15. Require a new/modification of existing Confined Space entry checklists?		\boxtimes
16. Cause any PSM/RMP applicability issues?		
17. Cause a change in PSM/RMP program level?		X
18. Will this change have any effect on the overall plant facility siting issues?		
19. Increase or decrease the impact contour for worst-case scenario by a factor of two or more?		
20. Will this MOC supersede /interfere with any other Temporary/Emergency/Permanent MOC's?		\boxtimes
21. Is there a need to update the EPS-I-004, Chemical Compatibility Matrix?		\boxtimes
22. Is a Layer of Protection Analysis (LOPA) study required?		\boxtimes
23. Will this affect the Interlock Matrix?		\boxtimes
24. Require updating of electrical energy consumption spreadsheet? Update required for any MCC, CB panel or bus bar connection additions or alterations.		\boxtimes
25. Will this change impact Proprietary Technology including product, process, equipment, technical data, or other trade secret information licensed to FHR by third parties If yes, contact the Proprietary Technology Coordinator.		\boxtimes

EHS-F-041 Distribution Date: 05/25/2016 Page 4 of 7



	Any questions with a 'YES' answe List the action(s) to be taken to resolve any issu		d 'Section G'	
Item No.	Action To Be Completed Prior to PSSR	Responsible Party	Target Completion Date	Approving Manager
G-6	Notify ETM's of Change	Williams	02/28/2017	Vittone
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~				
,				
F- PSSR	Conduct Pre Start-up Safety Review	Vittone	02/28/2017	Vittone

EHS-F-041 Distribution Date: 05/25/2016 Page 6 of 7

	Any questions with a 'YES' answer, r List the action(s) to be taken to resolve any issues		d 'Section G'	
Item No.	Action To Be Completed <u>After PSSR</u>	Responsible Party	Target Completion Date	Approving Manager
G-4	Submit Form MIP-F-100 to Maintenance Support Technician	Vittone	02/28/2017	Vittone
G-7a	Provide New Drawings for DDT	Vittone	02/28/2017	Vittone
G-7b	Update Controlled Drawings	Brockman	03/31/2017	Vittone
G-8a	Provide All Information for Equipment Files to DDT	Vittone	02/28/2017	Vittone
G-8b	Create New equipment File	Brockman	03/31/2017	Vittone
G-11	Label Necessary Equipment in Field	Vittone	02/28/2017	Vittone
ĠG	Notify EImi on leave or Vacation	williams	02/28/17	Vittore
			·	
			******	


EHS-F-041 Distribution Date: 05/25/2016 Page 6 of 7

Maintenance Tech from appropriate area Operator from affected area Operator from appropriate area Operator from affected area Operator from appropriate area Operator from affected area Operator	
Title/Position  Praffing Tech, or Designee  MI Coordinator, or Designee  MI Coordinator, or Designee  Maintenance Tech from appropriate area  Operator from affected area  Operator from affected area  Praining & Procedures Coordinator  Electrical Engineer (Section F.2)  Signatures required Prior To Implementation of MOC.  Title/Position  Authorizing Signatures  Fechnical Services Manager or Designee  Operations / Pilot Plant / QC  Manager or Designee  Cherr Reviewers  (as requested by any of the Authorizing signers)  Title/Position  Review Signature  Other Reviewers  (as requested by any of the Authorizing signers)  Title/Position  Review Signature  Date  Plant Manager or Designee  VERIFICATION OF MOC CLOSURE  By signing below:	
Drafting Tech, or Designee  MI Coordinator, or Designee  Maintenance Tech from appropriate area  Operator from affected area  Operator from affected area  Training & Procedures Coordinator  Electrical Engineer (Section F.2)  Signatures required Prior To Implementation of MOC.  Title/Position  Authorizing Signatures  Area Manager/Facilitator or Designee  Technical Services Manager or Designee  H&S Specialist or Designee  Operations / Pilot Plant / QC  Manager or Designee  Other Reviewers  (as requested by any of the Authorizing signers)  Title/Position  Title/Position  Review Signature  Other Reviewers  (as requested by any of the Authorizing signers)  Title/Position  Review Signature  Date  Plant Manager or Designee  VERIFICATION OF MOC CLOSURE	Date
MI Coordinator, or Designee  Maintenance Tech from appropriate area Operator from affected area Operator of Section F.2)  Signatures required Prior To implementation of MOC. Authorizing Signatures  Operations   Pacific Active of Prior To implementation of MOC.  Area Manager /Facilitator or Designee  Operations   Pilot Plant / QC Wanager or Designee  Other Reviewers (as requested by any of the Authorizing signers)  Title/Position Review Signature Operations   Pilot Plant / QC Plant Manager or Designee  VERIFICATION OF MOC CLOSURE  By signing below:	7-27-16
Maintenance Tech from appropriate area Operator from affected area Operator from affec	177 1/2
Operator from affected area  Training & Procedures Coordinator  Electrical Engineer (Section F.2)  Signatures required Prior To Implementation of MOC.  Title/Position  Authorizing Signatures  Area Manager/Facilitator or Designee  Technical Services Manager or Designee  H&S Specialist or Designee  Operations / Pilot Plant / QC Manager or Designee  Environment Engineer or Designee  Other Reviewers (as requested by any of the Authorizing signers)  Title/Position  Title/Position  Review Signature  Date  Sy signing below:	9 22 1/
Training & Procedures Coordinator  Electrical Engineer (Section F.2)  Signatures required Prior To Implementation of MOC.  Title/Position  Authorizing Signatures  Area Manager/Facilitator or Designee  Technical Services Manager or Designee  H&S Specialist or Designee  Departions / Pilot Plant / QC Manager or Designee  Environment Engineer or Designee  Other Reviewers (as requested by any of the Authorizing signers)  Title/Position  Title/Position  Title/Position  Review Signature  Date  By signing below:	19711
Electrical Engineer (Section F.2)  Signatures required Prior To Implementation of MOC.  Title/Position  Authorizing Signatures  Fechnical Services Manager or Designee  H&S Specialist or Designee  Departions / Pilot Plant / QC Manager or Designee  Convironment Engineer or Designee  Other Reviewers (as requested by any of the Authorizing signers)  Title/Position  Review Signature  Date  Other Reviewers (as requested by any of the Authorizing signers)  Review Signature  Date  Other Review Signature  Other Review Signature  Date  Other Review Signature	21/16
Signatures required Prior To Implementation of MOC.  Title/Position  Authorizing Signatures  Area Manager/Facilitator or Designee  Area Manager/Facilitator or Designee  Area Manager or Designee  Technical Services Manager or Designee  H&S Specialist or Designee  Area Manager or Designee  Operations / Pilot Plant / QC Manager or Designee  Other Reviewers  (as requested by any of the Authorizing signers)  Title/Position  Review Signature  Date  Other Review Signature  Plant Manager or Designee  VERIFICATION OF MOC CLOSURE  By signing below:	·21-14
Title/Position  Authorizing Signatures  Area Manager/Facilitator or Designee  Technical Services Manager or Designee  H&S Specialist or Designee  Department Plant / QC Manager or Designee  Cither Reviewers (as requested by any of the Authorizing signers)  Title/Position  Review Signature  Date  Other Review Signature  Plant Manager or Designee  VERIFICATION OF MOC CLOSURE  Sy signing below:	
Technical Services Manager or Designee  H&S Specialist or Designee  Operations / Pilot Plant / QC Manager or Designee  Other Reviewers (as requested by any of the Authorizing signers)  Title/Position  Review Signature  Other Review Signature  Plant Manager or Designee  VERIFICATION OF MOC CLOSURE	Date
Designee  H&S Specialist or Designee  Operations / Pilot Plant / QC Manager or Designee  Other Reviewers (as requested by any of the Authorizing signers)  Title/Position Review Signature  Date  Other Review Signature  Plant Manager or Designee  VERIFICATION OF MOC CLOSURE  By signing below:	28-16
Operations / Pilot Plant / QC Manager or Designee  Other Reviewers (as requested by any of the Authorizing signers)  Title/Position Review Signature  Plant Manager or Designee  VERIFICATION OF MOC CLOSURE  By signing below:	18-16
Anager or Designee  Other Reviewers (as requested by any of the Authorizing signers)  Title/Position Review Signature  Plant Manager or Designee  VERIFICATION OF MOC CLOSURE  By signing below:	8-16
Other Reviewers (as requested by any of the Authorizing signers)  Title/Position Review Signature Date Plant Manager or Designee  VERIFICATION OF MOC CLOSURE By signing below:	-27-16
(as requested by any of the Authorizing signers)  Title/Position Review Signature Date  Plant Manager or Designee  VERIFICATION OF MOC CLOSURE  By signing below:	29-16
Title/Position Review Signature Date  Plant Manager or Designee  VERIFICATION OF MOC CLOSURE  By signing below:	
Plant Manager or Designee  VERIFICATION OF MOC CLOSURE  By signing below:	
VERIFICATION OF MOC CLOSURE By signing below:	
By signing below:	
	et to start up.
MOC closure requires the Originators Signature	

# CATHODIC PROTECTION SYSTEM FLINT HILLS RESOURCES CHEMICAL INTERMEDIATES, LLC 501 BRUNNER STREET PERU, IL 61354 N 41.326421°, W -89.113036°







LOCATION MAP


SITE PLAN


SHEET	DESCRIPTION
1	TITLE SHEET
2	CP SITE PLAN
3	TEST STATION AND CONNECTION DETAILS
4	EXOTHERMIC WELD, WIRING SCHEMATICS DETAILS

-				REFERENCE DRAWINGS CLI	CLIENT:	FLINT HILLS RESOURCES CHEMICAL	CONTENTS:	DESIGNED BY	SWC	
-						INTERMEDIATES, LLC	CATHODIC PROTECTION SYSTEM	CHECKED BY	SWC	
						501 BRUNNER STREET PERU, IL 61354	PROJECT TITLE & SITE LOCATION	DRAWN BY	LWH	48
						PERO, IL 01354		DATE 9-	20-16	
				THE DOOR BUT AND THE CONTENTS ARE THE BOOKERTY OF	DWNER:	FLINT HILLS RESOURCES CHEMICAL	FLINT HILLS RESOURCES CHEMICAL	SCALE	NONE	1
<u> </u>				ORREFIG COMPANIES, NC. ("CORREFRO"). INTENDED ONLY FOR THE USE OF RECIPIENT (THE "RECIPIENT"), RECIPIENT AGREES NOT TO COPY OR REPRODUCE IT, OR USE IT FOR ANY UNAPPROVED PURPOSE, MITHOUT CORREFRO'S PRIOR		INTERMEDIATES, LLC 501 BRUNNER STREET	INTERMEDIATES, LLC 501 BRUNNER STREET	SHEET 1	^{0€} 4	1
No	DATE	BY	REVISION	WRITTEN CONSENT, RECIPIENT SHALL RETURN THIS DOCUMENT UPON CORREPRO'S REQUEST OR UPON IS NOT APPLICABLE FOR US AS STANDARD CORROSION CONTROL DUE TO VARIABLE CONDITIONS AT OTHER SITES.		PERU, IL 61354	PERU, IL 61354	DWG. No.	1220	JOB No. 340601220

CLEVELAND • AILANIA • CHICAGO OUSTON • NEW ORLEANS • OKLAHOMA CITY PHILADELPHIA • SAN FRANCISCO

. HAWTHORNE LANE, WEST CHICAGO, IL 60185 - (630) 483-250





### STEPS FOR PREPARING PIPE


- 1. REMOVE A 2" SQUARE SECTION OF COATING. FILE SURFACE TO BRIGHT METAL AND DRY.
- 2. HIGHT PRESSURE RELIEF PIPE MUST BE TESTED FOR WALL LAMINATIONS PRIOR TO WELDING.
- 3. WRAP TEST LEAD AROUND PIPE TO REDUCE STRAIN ON THERMITE WELD. NEVER WRAP CASING WIRE AROUND PIPELINE.
- 4. STRIP INSULATION FROM WIRE, SLIP ON COPPER COPPER SLEEVE (#10 WIRE AND SMALLER), AND CRIMP. PLACE WIRE AGAINST METAL SURFACE.


### STEPS FOR PREPARING WELDER


- A. PLACE METAL DISC IN BOTTOM OF GRAPHITE MOLD.
- B. OPEN CARTRIDGE AND DUMP CHARGE IN MOLD.
- C. SQUEEZE BASE OF CARTRIDGE AND REMOVE STARTING POWDER.
- D. CLOSE COVER AND PLACE WELDER OVER WIRE.
- 5. PLACE PREPARED WELDER OVER WIRE AND HOLD FIRMLY WHILE MAKING CONNECTION, APPLY SPARK TO SIDE OF WELDER WITH FLINT GUN.
- 6. REMOVE HOLD AND LET COOL.
- 7. AFTER WELD HAS COOLED, HIT WELD SEVERAL TIMES WITH HAMMER TO ENSURE WELD IS INTACT.
- 8. PROTECT WELDMENT AS REQUIRED, USING DENSO PROTAL 7125 AS SHOWN.


### DENSO PROTAL 7125 REPAIR CARTRIDGE


- 1. PREPARE SURFACE USING CARBORUNDUM CLOTH OR 80 GRIT SANDPAPER.
- 2. WIPE CLEAN WITH AN ISOPROPYL ALCHOHOL SOAKED CLOTH.
- 3. MATERIAL CAN BE APPLIED BY INJECTING MATERIAL INTO A SMALL CONTAINER AND MIXING UNTIL A UNIFORM COLOR IS ACHIEVED.
- 4. MATERIAL CAN THEN BE BRUSH APPLIED TO SPECIFIED MIL THICKNESS (BETWEEN 25 TO 30 MILS).
- 5. CURE TIMES ARE DEPENDANT ON TEMPERATURE AND WILL BE EXTENDED AT COOLER TEMPERATURES.























MULTIPLE ANODE TEST STATION					
WIRE TAG	GAUGE (AWG)	INSULATION	COLOR	CONNECTION	
2	No.12	THWN	YELLOW	PIPE	
3	No.8	HMWPE	BLACK	ANODE	
4	No.14	HMWPE	BLACK	REF. ELECT.	
5	No.12	THWN	YELLOW	PIPE	
Α	0.01 ohm	N/A	SILVER	SHUNT	



	2 LINE	ANODE TEST	STATION	
WIRE TAG	GAUGE (AWG)	INSULATION	COLOR	CONNECTION
2	No. 12	THHN	YELLOW	EAST PIPE
5	No. 12	THHN	YELLOW	EAST PIPE
8	No. 14	HMWPE	BLACK	REF. ELECT.
3	No. 12	THHN	YELLOW/BLACK	WEST PIPE
6	No. 12	THHN	YELLOW/BLACK	WEST PIPE
4	No. 8	HMWPE	BLACK	ANODE
Α	0.01 ohm	N/A	SILVER	SHUNT

TEST STATION WIRING SCHEMATICS

				REFERENCE DRAWINGS	CLIENT
					OWNE
				THIS DOCUMENT AND ITS CONTENTS ARE THE PROPERTY OF CORRERO COMPANIES, INC. ("CORRERO"). INTENDED ONLY FOR THE USE OF RECIPIENT (THE "RECIPIENT"), RECIPIENT ARE NOT TO COPY OR REPRODUCE IT, OR USE IT FOR	
				AGREES NOT TO COPY OR REPRODUCE IT, OR USE IT FOR ANY UNIAPPROVED PURPOSE, WITHOUT CORREPRO'S PROOR WRITTEN CONSENT, RECIPIENT SHALL RETURN THIS DOCUMENT UPON CORREPRO'S REQUEST OR UPON	
No.	DATE	BY	REVISION	COMPLETION OF THE WORK DESCRIBED HEREIN, THIS DESIGN IS NOT APPLICABLE FOR USE AS STANDARD CORROSION CONTROL DIE TO VARIABLE CONDITIONS AT OTHER SITES.	

FLINT HILLS RESOURCES CHEMICAL INTERMEDIATES, LLC 501 BRUNNER STREET PERU, IL 61354

FLINT HILLS RESOURCES CHEMICAL INTERMEDIATES, LLC 501 BRUNNER STREET PERU, IL 61354

CATHODIC PROTECTION SYSTEM NATURAL GAS PIPELINES DETAILS

FLINT HILLS RESOURCES CHEMICAL INTERMEDIATES, LLC 501 BRUNNER STREET PERU, IL 61354

DESIGNED BY SWC CHECKED BY SWC LWH 9-20-16 NONE SHEET 4 of 4

B601220

CLEVELAND • ATLANTA • STON • NEW ORLEANS • ( PHILADELPHIA • SAN FF HOUST

≶.

340601220

CITY

A • CHICAGO • OKLAHOMA FRANCISCO

Page: 00005	*Validated*	ILLINOIS Environmental Protection Agency 2016 Hazardous Waste Report Form GM Generation and Management						
US EPA ID : ILD087	154555 IL. EPA ID	: 0990850	0005					
SECTION 1. WAS	TE DESCRIPTION							
A. Waste Description:	LEAD AND CADM	IUM CONTA	AMINATED SO	OIL				
B. EPA Hazardous Waste	Code(s): <b>D006</b>	D008						
C. Source Code : G	D. For	m Code :	W301	Management 1	Method :			
E. Waste Minimization Co	ode: X	_						
SECTION 2. QUAN	NTITY GENERATI	ED:						
A. UOM: 2. Cubic Yar	rds	Density:	9.00 lb	/gal.				
B. Quantity Generated in	Current Reporting Year :		350.0					
SECTION 3: QUAL								
Did this location manage recycling, or disposal unit					N			
On-Site System1:Manage	ment Method :	Quantity n	ianaged on-site t	this year :	0.0			
On-Site System2:Manage	ment Method :	Quantity n	ianaged on-site t	this year :	0.0			
SECTION 4. OFF-S	SITE SHIPMENT							
A. Was any of this waste	shipped off site this repor	ting year?	Y_					
SITE 1.								
B. U.S. EPA ID No.	of facility waste was ship	ped to :	ILD00066620	06				
C.Management meth	od shipped to :		H110					
<ul> <li>D. Total quantity ship</li> </ul>	pped in this reporting yea	r:		350.0				
SITE 2.								
B. U.S. EPA ID No.	of facility waste was ship	ped to :						
C. Management meth	hod shipped to :							
<ul> <li>D. Total quantity ship</li> </ul>	pped in this reporting year	r:		0.0				
SITE 3.								
B. U.S. EPA ID No.	of facility waste was ship	ped to :						
C. Management meth	hod shipped to :							
D. Total quantity ship	pped in this reporting yea	r:		0.0				
SITE 4.								
B. U.S. EPA ID No.	of facility waste was ship	ped to :						
C. Management meth	hod shipped to :							
D. Total quantity ship	pped in this reporting yea	r:		0.0				
SITE 5.								
B. U.S. EPA ID No.	of facility waste was ship	ped to :						
C. Management metl	hod shipped to :							
D. Total quantity ship	pped in this reporting year	r:		0.0				
COMMENTS: N								



Thursday, October 27, 2016

Adam Chapman Flint Hills Resources 501 Brunner Street Peru, IL 61354

TEL: (815) 224-5211

FAX: NA

RE: CAT Project PAS WO: 16J0494

Prairie Analytical Systems, Inc. received 2 sample(s) on 10/24/2016 for the analyses presented in the following report.

All applicable quality control procedures met method specific acceptance criteria unless otherwise noted.

This report shall not be reproduced, except in full, without the prior written consent of Prairie Analytical Systems, Inc.

If you have any questions, please feel free to contact me at (217) 753-1148.

Respectfully submitted,

(husta)

Christina E. Pierce

**Project Manager** 

Certifications: NELAP/NELAC - IL #100323

LABORATORY RESULTS

**Client:** Flint Hills Resources

Lab Order: 16J0494 **Project: CAT Project** CHIPS-01 **Client Sample ID: Lab ID:** 16J0494-01 **Collection Date:** 10/21/16 14:00

Matrix: Solid

**Date:** 10/27/2016

Analyses	Result	Limit	Qual	Units	DF	Date Prepared	Date Analyzed	Method	Analyst
TCLP Metals by ICP-MS									
*Mercury	U	0.000600		mg/L	3	10/26/16 12:45	10/26/16 17:55	SW6020A	CCD
*Selenium	U	0.0150		mg/L	3	10/26/16 12:45	10/26/16 17:55	SW6020A	CCD
*Silver	U	0.0150		mg/L	3	10/26/16 12:45	10/26/16 17:55	SW6020A	CCD
TCLP Metals by ICP									
*Arsenic	U	0.0100		mg/L	1	10/26/16 12:41	10/26/16 18:45	SW6010B	JTC
*Barium	0.214	0.0400		mg/L	1	10/26/16 12:41	10/26/16 18:45	SW6010B	JTC
*Cadmium	0.509	0.00500		mg/L	1	10/26/16 12:41	10/26/16 18:45	SW6010B	JTC
*Chromium	U	0.00500		mg/L	1	10/26/16 12:41	10/26/16 18:45	SW6010B	JTC
*Lead	24.7	0.100		mg/L	20	10/26/16 12:41	10/26/16 18:34	SW6010B	JTC

B4-01 **Lab ID:** 16J0494-02 **Client Sample ID: Collection Date:** Matrix: Solid 10/21/16 14:15

Analyses	Result	Limit	Qual	Units	DF	Date Prepared	Date Analyzed	Method	Analyst
TCLP Metals by ICP-MS									
*Mercury	U	0.000600		mg/L	3	10/26/16 12:45	10/26/16 18:19	SW6020A	CCD
*Selenium	U	0.0150		mg/L	3	10/26/16 12:45	10/26/16 18:19	SW6020A	CCD
*Silver	U	0.0150		mg/L	3	10/26/16 12:45	10/26/16 18:19	SW6020A	CCD
TCLP Metals by ICP									
*Arsenic	U	0.0100		mg/L	1	10/26/16 12:41	10/26/16 19:02	SW6010B	JTC
*Barium	0.189	0.0400		mg/L	1	10/26/16 12:41	10/26/16 19:02	SW6010B	JTC
*Cadmium	0.461	0.00500		mg/L	1	10/26/16 12:41	10/26/16 19:02	SW6010B	JTC
*Chromium	U	0.00500		mg/L	1	10/26/16 12:41	10/26/16 19:02	SW6010B	JTC
*Lead	45.9	0.250		mg/L	50	10/26/16 12:41	10/27/16 11:33	SW6010B	JTC

**Date:** 10/27/2016

### LABORATORY RESULTS

Client: Flint Hills Resources

Project: CAT Project Lab Order: 16J0494

### **Notes and Definitions**

- S Spike recovery outside acceptance limits.
- * NELAC certified compound.
- U Analyte not detected (i.e. less than RL or MDL).

# **Chain of Custody Record**

Central IL - 1210 Capital Airport Drive - Springfield, IL 62707-8490 - Phone (217) 753-1148 - Facsimile (217) 753-1152 Chicago IL Office - 9114 Virginia Rd., Ste 112 - Lake in the Hills, IL 60156 - Phone (847) 651-2604 - Facsimile (847) 458-9680 Central/Southern IL Office - Phone (217) 414-7762 - Facsimile (217) 223-7922



Client	IIIL	11/11	12												www.p	rairieanalytical.co
Address	TIMT	TIYIIS	Lesou.	res				TO THE		Analysis	and/or Meth	od Reques	ted			Reporting
City, State, Zip Code	301	Brunn	w S	5T.	,			13							0	
Phone / Facsimile	815	100	Cel:	3.59	_	15-53-15-15-15-15-15-15-15-15-15-15-15-15-15-		7							TACO	☐ Ind/Comm
Project Name / Number	8/5	-224-	5211		1			J.								D
Project Location	CAI	· PR	OTE	-1				40	- 1						SALM	
P.O. # or Invoice To							- A.	00 -							3	C DF
Contact Person	12 100	CII.	- //	. /			01	41	}						0	
	ADAM	mpling	MA	·				12							RISC	☐ Indust
Sample Description	Date	Time	Matrix Code	Preserv Code	No. of Containers	Sample	e Type Grab	2							0	
CHIPS-BI	10/21	14:00	S		1	Comp	Giab								38	ampler Comments
CHIPS-BI	10/21	14:15	- 5	()	<del></del>		-	1								
- V	10/21	17.13				~		X								
			-													
		l'									19				+	
															+	
															_	
												+			_	
										_	_	-				
Matrix Code	A - Aqueou	is DW	/ - Drinking W	ater	GW -	Ground Wa	tor	NA N								
Preserv Code	0 - None		1 - HCI			- H2SO4	lei	NA - No	n-Aqueous I 3 - HNO3	iquid	S - Solid 4 - NaOl			O - Oil 5 - 5035 Kit	X	- Other (Specify)
11	Hisped By		Date		Time		-5	7 1	Received B	Зу		Dat		Time		- Other (Specify)
Ham C	10		0/24/K	0 11:	05	9	- la		me	1/2		10.2	,	1/01	IVIGI	11 1
C.			, ,					1	-			10 2	16	1109		TANU
J						1	100	0	10/26	2		10/0	inL	12 22	111	N H II
ial Instructions:						-	1000	Тиграгает	d Time: C4	andard	Duni	10/24	-	13 22	M	1410[)
						520			equired:	andard [	Rush	QC Le	1	On wet ice?	Te	mperature (°C)
								Date R	equired:			1 2 3	4	Yes No	<	40

FHRPRU002962

PAS COC Rev. 3

Page ____ of ___

Copies: White - Client / Yellow - PAS, Inc. / Pink - Sampler



Monday, November 28, 2016

Adam Chapman Flint Hills Resources 501 Brunner Street Peru, IL 61354

TEL: (815) 224-5211

FAX: NA

RE: Soils PAS WO: 16K0447

Prairie Analytical Systems, Inc. received 8 sample(s) on 11/17/2016 for the analyses presented in the following report.

All applicable quality control procedures met method specific acceptance criteria unless otherwise noted.

This report shall not be reproduced, except in full, without the prior written consent of Prairie Analytical Systems, Inc.

If you have any questions, please feel free to contact me at (224) 253-1348.

Respectfully submitted,

(husta)

Christina E. Pierce

**Project Manager** 

Certifications: NELAP/NELAC - IL #100323

LABORATORY RESULTS

**Client:** Flint Hills Resources

**Project:** Soils Lab Order: 16K0447 **Client Sample ID:** CHRT27217

**Collection Date:** 11/17/16 11:15 **Lab ID:** 16K0447-01

**Date:** 11/28/2016

Matrix: Solid

Analyses	Result	Limit	Qual Units	DF	Date Prepared	Date Analyzed	Method	Analyst
TCLP Metals by ICP-MS								
*Mercury	U	0.000600	mg/L	3	11/22/16 13:30	11/23/16 16:39	SW6020A	CCD
*Selenium	U	0.0150	mg/L	3	11/22/16 13:30	11/23/16 16:39	SW6020A	CCD
*Silver	U	0.0150	mg/L	3	11/22/16 13:30	11/23/16 16:39	SW6020A	CCD
TCLP Metals by ICP								
*Arsenic	U	0.0100	mg/L	1	11/22/16 13:30	11/22/16 21:13	SW6010B	JTC
*Barium	U	0.0400	mg/L	1	11/22/16 13:30	11/22/16 21:13	SW6010B	JTC
*Cadmium	0.0467	0.00500	mg/L	1	11/22/16 13:30	11/22/16 21:13	SW6010B	JTC
*Chromium	U	0.0100	mg/L	1	11/22/16 13:30	11/22/16 21:13	SW6010B	JTC
*Lead	0.00681	0.00500	mg/L	1	11/22/16 13:30	11/22/16 21:13	SW6010B	JTC

CHRT26654 **Lab ID:** 16K0447-02 **Client Sample ID: Collection Date:** 11/17/16 11:30 Matrix: Solid

Analyses	Result	Limit	Qual Uni	s DF	Date Prepared	Date Analyzed	Method	Analyst
TCLP Metals by ICP-MS								
*Mercury	U	0.000600	mg/I	. 3	11/22/16 13:30	11/23/16 17:03	SW6020A	CCD
*Selenium	U	0.0150	mg/I	. 3	11/22/16 13:30	11/23/16 17:03	SW6020A	CCD
*Silver	U	0.0150	mg/I	. 3	11/22/16 13:30	11/23/16 17:03	SW6020A	CCD
TCLP Metals by ICP								
*Arsenic	U	0.0100	mg/I	. 1	11/22/16 13:30	11/22/16 21:30	SW6010B	JTC
*Barium	0.102	0.0400	mg/I	. 1	11/22/16 13:30	11/22/16 21:30	SW6010B	JTC
*Cadmium	0.129	0.00500	mg/I	. 1	11/22/16 13:30	11/22/16 21:30	SW6010B	JTC
*Chromium	U	0.0100	mg/I	. 1	11/22/16 13:30	11/22/16 21:30	SW6010B	JTC
*Lead	0.621	0.00500	mg/I		11/22/16 13:30	11/22/16 21:30	SW6010B	JTC

1113 **Client Sample ID: Lab ID:** 16K0447-03 **Collection Date:** 11/17/16 10:50 Matrix: Solid

Analyses	Result	Limit	Qual Unit	s DF	Date Prepared	Date Analyzed	Method	Analyst
TCLP Metals by ICP-MS								
*Mercury	U	0.000600	mg/L	. 3	11/22/16 13:30	11/23/16 17:11	SW6020A	CCD
*Selenium	U	0.0150	mg/L	. 3	11/22/16 13:30	11/23/16 17:11	SW6020A	CCD
*Silver	U	0.0150	mg/I	3	11/22/16 13:30	11/23/16 17:11	SW6020A	CCD
TCLP Metals by ICP								
*Arsenic	U	0.0100	mg/L	. 1	11/22/16 13:30	11/22/16 21:36	SW6010B	JTC
*Barium	0.581	0.0400	mg/L	. 1	11/22/16 13:30	11/22/16 21:36	SW6010B	JTC
*Cadmium	0.153	0.00500	mg/L	. 1	11/22/16 13:30	11/22/16 21:36	SW6010B	JTC
*Chromium	0.0340	0.0100	mg/L	. 1	11/22/16 13:30	11/22/16 21:36	SW6010B	JTC
*Lead	2.16	0.0500	mg/L	. 10	11/22/16 13:30	11/23/16 16:24	SW6010B	JTC

DF

3

3

3

DE

Data Propared

11/22/16 13:30

11/22/16 22:10

LABORATORY RESULTS

Units

mg/L

mg/L

mg/L

Unite

Client: Flint Hills Resources

 Project:
 Soils
 Lab Order:
 16K0447

 Client Sample ID:
 1098
 Lab ID:
 16K0447-04

Limit

0.000600

0.0150

0.0150

Qual

Result

U

U

U

Docult

**Collection Date:** 11/17/16 10:00

Analyses

*Mercury

*Silver

Analyses

*Lead

*Selenium

**TCLP Metals by ICP-MS** 

Matrix: Solid **Date Prepared Date Analyzed** Method Analyst 11/22/16 13:30 11/23/16 17:51 SW6020A CCD 11/22/16 13:30 11/23/16 17:51 SW6020A CCD 11/22/16 13:30 11/23/16 17:51 SW6020A CCD

Data Analyzad

Mathad

Analyst

Date: 11/28/2016

**TCLP Metals by ICP** *Arsenic U 0.0100 mg/L 1 11/22/16 13:30 11/22/16 21:42 SW6010B JTC *Barium 0.590 0.0400 mg/L 1 11/22/16 13:30 11/22/16 21:42 SW6010B JTC 0.00500 SW6010B JTC *Cadmium 0.166 mg/L 1 11/22/16 13:30 11/22/16 21:42 *Chromium 0.0108 0.0100 mg/L 1 11/22/16 13:30 11/22/16 21:42 SW6010B JTC *Lead 1.31 0.00500 mg/L 1 11/22/16 13:30 11/22/16 21:42 SW6010B JTC

Client Sample ID: 1045 Lab ID: 16K0447-05

I imit

Collection Date: 11/17/16 10:40 Matrix: Solid

Analyses	Result	Limit	Quai Units	Dr	Date Prepared	Date Analyzed	Method	Anaiyst
TCLP Metals by ICP-MS								
*Mercury	U	0.000600	mg/L	3	11/22/16 13:30	11/23/16 17:59	SW6020A	CCD
*Selenium	U	0.0150	mg/L	3	11/22/16 13:30	11/23/16 17:59	SW6020A	CCD
*Silver	U	0.0150	mg/L	3	11/22/16 13:30	11/23/16 17:59	SW6020A	CCD
TCLP Metals by ICP								
*Arsenic	U	0.0100	mg/L	1	11/22/16 13:30	11/22/16 21:47	SW6010B	JTC
*Barium	0.930	0.0400	mg/L	1	11/22/16 13:30	11/22/16 21:47	SW6010B	JTC
*Cadmium	0.552	0.00500	mg/L	1	11/22/16 13:30	11/22/16 21:47	SW6010B	JTC
*Chromium	U	0.0100	mg/L	1	11/22/16 13:30	11/22/16 21:47	SW6010B	JTC
*Lead	26.1	0.100	mg/L	20	11/22/16 13:30	11/23/16 16:30	SW6010B	JTC

 Client Sample ID:
 1099
 Lab ID:
 16K0447-06

 Collection Date:
 11/17/16 10:20
 Matrix:
 Solid

0.00500

1.06

DF Analyses Result Limit Qual Units **Date Prepared Date Analyzed** Method Analyst **TCLP Metals by ICP-MS** *Mercury U 0.000600 mg/L 3 11/22/16 13:30 11/23/16 18:07 SW6020A CCD *Selenium U 0.0150 mg/L 3 11/22/16 13:30 11/23/16 18:07 SW6020A CCD U 3 *Silver 0.0150 mg/L 11/22/16 13:30 11/23/16 18:07 SW6020A CCD **TCLP Metals by ICP** *Arsenic U 0.0100 mg/L 11/22/16 13:30 11/22/16 22:10 SW6010B JTC *Barium 0.558 0.0400 11/22/16 13:30 11/22/16 22:10 SW6010B JTC mg/L 1 *Cadmium 0.1870.00500mg/L 1 11/22/16 13:30 11/22/16 22:10 SW6010B JTC 0.0285 0.0100 1 11/22/16 13:30 11/22/16 22:10 SW6010B JTC *Chromium mg/L

mg/L

1

JTC

SW6010B

LABORATORY RESULTS

**Client:** Flint Hills Resources

Lab Order: 16K0447 **Project:** Soils 1112 **Lab ID:** 16K0447-07 **Client Sample ID:** 

**Collection Date:** 11/17/16 10:10

**Date:** 11/28/2016

Matrix: Solid

Analyses	Result	Limit	Qual	Units	DF	Date Prepared	Date Analyzed	Method	Analyst
TCLP Metals by ICP-MS									
*Mercury	U	0.000600		mg/L	3	11/22/16 13:30	11/23/16 18:15	SW6020A	CCD
*Selenium	U	0.0150		mg/L	3	11/22/16 13:30	11/23/16 18:15	SW6020A	CCD
*Silver	U	0.0150		mg/L	3	11/22/16 13:30	11/23/16 18:15	SW6020A	CCD
TCLP Metals by ICP									
*Arsenic	U	0.0100		mg/L	1	11/22/16 13:30	11/22/16 22:16	SW6010B	JTC
*Barium	0.350	0.0400		mg/L	1	11/22/16 13:30	11/22/16 22:16	SW6010B	JTC
*Cadmium	0.138	0.00500		mg/L	1	11/22/16 13:30	11/22/16 22:16	SW6010B	JTC
*Chromium	0.0329	0.0100		mg/L	1	11/22/16 13:30	11/22/16 22:16	SW6010B	JTC
*Lead	2.40	0.0500		mg/L	10	11/22/16 13:30	11/23/16 16:36	SW6010B	JTC

1110 **Lab ID:** 16K0447-08 **Client Sample ID:** 

**Collection Date:** Matrix: Solid 11/17/16 10:30

Analyses	Result	Limit	Qual Uni	ts DF	Date Prepared	Date Analyzed	Method	Analyst
TCLP Metals by ICP-MS								
*Mercury	U	0.000600	mg/I	. 3	11/22/16 13:30	11/23/16 18:23	SW6020A	CCD
*Selenium	U	0.0150	mg/I	. 3	11/22/16 13:30	11/23/16 18:23	SW6020A	CCD
*Silver	U	0.0150	mg/I	. 3	11/22/16 13:30	11/23/16 18:23	SW6020A	CCD
TCLP Metals by ICP								
*Arsenic	U	0.0100	mg/I	. 1	11/22/16 13:30	11/22/16 22:21	SW6010B	JTC
*Barium	0.400	0.0400	mg/I	. 1	11/22/16 13:30	11/22/16 22:21	SW6010B	JTC
*Cadmium	0.117	0.00500	mg/I	. 1	11/22/16 13:30	11/22/16 22:21	SW6010B	JTC
*Chromium	0.0117	0.0100	mg/I	. 1	11/22/16 13:30	11/22/16 22:21	SW6010B	JTC
*Lead	0.789	0.00500	mg/I	. 1	11/22/16 13:30	11/22/16 22:21	SW6010B	JTC

**Date:** 11/28/2016

### LABORATORY RESULTS

Client: Flint Hills Resources

Project: Soils Lab Order: 16K0447

### **Notes and Definitions**

S Spike recovery outside acceptance limits.

* NELAC certified compound.

U Analyte not detected (i.e. less than RL or MDL).

## **Chain of Custody Record**

Central IL - 1210 Capital Airport Drive - Springfield, IL 62707-8490 - Phone (217) 753-1148 - Facsimile (217) 753-1152 Chicago IL Office - 9114 Virginia Rd., Ste 112 - Lake in the Hills, IL 60156 - Phone (847) 651-2604 - Facsimile (847) 458-9680 Central/Southern IL Office - Phone (217) 414-7762 - Facsimile (217) 223-7922



www.prairieanalytical.com

Client	Fliat 11-1/2	11	, Day 1	11						
Address	THE THIS	KISOURIE	s Peru, L	u	Ana	lysis and/or Metho	d Requested			Reporting
City, State, Zip Code	Don Tru								8	Resid
Phone / Facsimile	Peru 1		354	- 4					TA	☐ Ind/Comm
Project Name / Number		1-5211			4					□ A □ D
Project Location	SOILS			Z	3				CALM	□в □E
P.O. # or Invoice To					5					□ C □ F
Contact Person	12 11 2			4	17				2	Resid
		HAPMAN		6					RISC	☐ Indust
Sample Description	Sampling Date Time	Matrix Prese		Grab 2					San	npler Comments
CHRT27217	11/17/16/11:15	- 50	1/ 1/	Crab		+ + -				ipier deminionio
CHRT21064	1 11:30	5 1 1	170							
1113			1 800		<b>&gt;</b>					
1000	10:50	$\frac{1}{2}$	1 00	$\times$						
1015	10.00		1	$\times$						
1045	10:4	0 1 1		XX		1# 1				
1099	10:20	0		$\times \times$						
1112	10:10			XX						
1100	10:3	OLV	//	XX						
							n-			
				_						
Matrix Code	A - Aqueous	DW - Drinking Water	GW - Ground Wa	tor NA	- Non-Aqueous Liquid					
Preserv Code	0 - None	1 - HCI	2 - H2SO4	lei INA	3 - HNO3	S - Solid 4 - NaOH		O - Oil 5 - 5035 Kit		Other (Specify) Other (Specify)
Relinq	uished By	Date	Time	1	Received By		Date	Time		od of Shipment
Adam (	Ken	11/17/16 1	2:05 /	111	MILA	well	11.17.1	1/2:00	1	40-11
	0	1 1				ewer /	1.17.17	12.05	-//	MAN
T			6	lever To	1 Allatar		11/17/16	1417	111	NAIN
P al Instructions: e o		2	9		arouna Time: Standar	rd Rush	QC Level			AND
6	И			ll ll	ate Required:	- Nusii	1 <b>&amp;</b> 2□ 3□ 4[	On wet ice?  ☐ Yes №o	i en	nperature (°C)
of					7-1		154L 2LL 3LL 4L	163 1970		0 '

Page ____ of ____

FHRPRU002968

PAS COC Rev. 3

Copies: White - Client / Yellow - PAS, Inc. / Pink - Sampler

6022

Please print or type. (Form designed for use on elite (12-pitch) typewriter.) 77 1704631578 SC PPW 8/28/2017 Form Approved. OMB No. 2050-0039 1. Generator ID Number 3. Emergency Response Phone UNIFORM HAZARDOUS 2. Page 1 of 33282 ILD087154555 10 **WASTE MANIFEST** 1 (800) 483-3718 Generator's Site Address (if different than mailing address) Generator's Name and Mailing Address Firnt Hills Resources 501 Brunner Street SAME Peru. IL 61354 Generator's Phone: (815) 224-5451 6. Transporter 1 Company Name U.S. EPA ID Number Clean Harbors Environmental Services, Inc. MAD039322250 7. Transporter 2 Company Name U.S. EPA ID Number 1ND 984868496 VEIEL U.S. EPA ID Number Spring Grove Resource Recovery Inc. OHD000816629 4879 Spring Grove Avenue Cincinnati. OH 45232 (513) 681-5738 Facility's Phone: 9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, 10. Containers 11. Total 12 Unit 9a 13. Waste Codes and Packing Group (if any)) НМ No. Туре Quantity Wt./Vol NON HAZARDOUS, NON D.O.T. REGULATED, 550 GENERATOR (NON-HAZARDOUS SOIL) 010 NON-Hazardous NON DIOIT. Regalated, (NON-Hazardoussoil) 9 001 14. Special Handling Instructions and Additional Information

1. CE1452699 / 0 X > 5 2. CH1452699 1 x95 15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) 's/Offeror's Printed/Typed Name HADM 1 Export from U.S. Port of entry/exit: Date leaving U.S. Transporter_signature (for exports only): 17. Transporter Acknowledgment of Receipt of Materials Signature d/Typed Name 22 ll 7 18. Discrepancy 18a. Discrepancy Indication Space ____ Туре Full Rejection Partial Rejection Residue Quantity Manifest Reference Number: U.S. EPA ID Number 18b. Alternate Facility (or Generator) **FACILITY** Facility's Phone: Month Day Year 18c. Signature of Alternate Facility (or Generator) DESIGNATED 19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems) H141 20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item Printed/Typed Name Signature DESIGNATED FACILITY TO DESTINATION STATE (IF REQUIRED) EPA Form 8700-22 (Rev. 3-05) Previous editions are obsolete.

Clean Harbors has the appropriate permits for and will accept the waste the generator is shipping.

-18 1000 Bana 2-

10059

tion Halfs Resources TAPA

AC SERFICIO

Clean Harbore Evenous antal Solides Inc. 6888998 - AM

> तात्री पृथ्वप्रकृतिकृतः । इसस्य अभिने प्रतिस्था केलाला Burns A Constitute a PNP A Constitute and Constitute BONES STORM

> > NOT HATCHEN IS NOT RECORDED FOR

MON HAZAROWIE SOIL

₹77.14

or type. (Form designed for use on elite (12-pitch) typewriter.) 1803368971-010 Form Approved. OMB No. 2050-0039 CORM HAZARDOUS 1. Generator ID Number 2. Page 1 of 3. Emergency Response Phone 4. Manifest Tracking Number WASTE MANIFEST D087154555 (NOO) 483-3748 5. Generator's Name and Mailing Address Generator's Site Address (if different than mailing address) Flint Hills Resources 501 Srunner Street SAME Peru. IL 61354 6. Transporter 1 Company Name U.S. EPA ID Number Clean Harbors Environmental Service, Inc. MAD039322250 7. Transporter 2 Company Name U.S. EPA ID Number 8. Designated Facility Name and Site Address U.S. EPA ID Number EO - Illinois 16435 South Center Avenue 1LD000666206 Facility's Phone: 9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number. 9a. 10. Containers 11. Total 12. Unit and Packing Group (if any)) 13. Waste Codes НМ Quantity No. Туре Wt./Vol RQ, NA3077, HAZARDOUS WASTE, SOLID, N.O.S., READ, GENERATOR 0006 0008 CADMIUM), 9, PG III (D006, D009) 00 14. Special Handling Instructions and Additional Information 1.A124003EIL ERG#171 PO# 63160767448 15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true Generator's/Offeror's Printed/Typed Name International Shipments Ł Export from U.S. Port of entry/exit: Transporter signature (for exports only): Date leaving U.S. 17. Transporter Acknowledgment of Receipt of Materials Transporter 1 Printed/Typed Name TR ANSPORT Signature Transporter 2 Printed/Typed Name Signature 18. Discrepancy 18a. Discrepancy Indication Space Quantity ___ Туре Residue Manifest Reference Number: ≟ 18b. Alternate Facility (or Generator) U.S. EPA ID Number Facility's Phone: DESIGNATED 18c. Signature of Alternate Facility (or Generator) Month Day Year 19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems) 20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a Printed/Typed Name Signature Month Day Year dolla EPA Form 8700-22 (Rev. 3-05) Previous editions are obsolete.

**DESIGNATED FACILITY TO GENERATOR** 

82185

Ple	ase.	rint or type. (Form desig	ned for use on elite (12-pitch) typewriter.	1.150556	8971-01		SC PPW				n Approved. OMB No.	2050-0039
<b>A</b>	Tun	FORM HAZARDOUS	Generator ID Number		2: Page 1 of	3. Emei	rgency Response	Phone	4. Manifest	Tracking N	lumber	
Ш		WASTE MANIFEST	11.0087154555		4	(80	0) 483-3	746		46	35/4U F	-LE
	5. 0	Generator's Name and Mailir			-900:		or's Site Address		n mailing addres	ss)		
		lini Hilis Resour										
Ш	800	501 Brunner Stre				SAN					44	Ma
Ш		Peru, II. 61364	the state of the state of		1						See See	
	6. T	nerator's Phone:	ne .						U.S. EPA ID I	Number		23 27 2394
			vironmental Service, Inc.									12.00
Ш		ransporter 2 Company Nam		***************************************					U.S. EPA ID N	Jumber	222250	
Ш	l'''	ransporter 2 Company Ham							I	turibor		
Ш	0.0	Pesignated Facility Name an	d Sito Addross						U.S. EPA ID N	lumbor		
	0. 0	resignated racility (varie an	d Site Address						0.3. EFA ID 1	vuilibei		
Ш		THE PART PRINCIPLE CONT.	de la companya de la						( L. 12 %)	i sa sa wa	00200	60
Ш	3.0	6435 South Cen							1			
Ш	Fac	llity's Phone:			<u> </u>			·		·	T	
Ш	9a.		on (including Proper Shipping Name, Hazard Cl	ass, ID Number,		-	10. Contair	ners	11. Total	12. Unit	13. Waste Code	s
Ш	HM	and Packing Group (if a	iny))				No.	Туре	Quantity	Wt./Vol.	ş	<u> </u>
2		11.	HAZARDOUS WASTE, SOLIC	NAG A	I FAN			400 - 40	es from		noos boos	
12	- M.	CAOMIMA 9	, PG III (0006, 0008)	可怜 医化二氯化二烷烷二甲基苯	Rechard William		001	CM				************
18	SPE.	Louis - promise and any source a file of some	P of some case Rough and got rook B some day were and the				*			Managara		
GENERATOR		2.									la de la companya de	
9											,	**********
	L											
		3.				I					on and an	
											ensessaansaansaansaassaassaassaassaass	************
П												
Ш		4.					- interest					
Ш						1					and the second contract of the second contrac	je jele kristo da je jele jele jele jele jele je
Ш						İ						
	14. 8	Special Handling Instruction	s and Additional Information				<del></del>	004	W15076	raak	<u> </u>	\···
	1	ALSAGOSETL	EF-171						2,722,77			
		). [										
Ш												
$\  \ $	15.		R'S CERTIFICATION: I hereby declare that the									
П			ded, and are in all respects in proper condition to ontents of this consignment conform to the term					onal governme	ntal regulations.	If export sh	ipment and I am the Prima	ary
11:			mization statement identified in 40 CFR 262.27					II quantity gene	erator) is true.			
		erator's/Offeror's Printed/Typ				ature	7	9//	· · ·		Month Day	Year
$\prod$	-f-	4X 4m / )	UQPMAN		1	1771	an (	MA.	CONTRACTOR PROPERTY SECTION		- 1/1/12/	1110
ᆣ	16, Ir	nternational Shipments			1	#// Lau	P. C.	7			11 / 15 3 2	
ΙŻ	Tran	sporter signature (for expor	Import to U.S.		Export from U	.5.	Port of ent Date leavir				View of	
		ransporter Signature (for expor					Date leavil	ig 0.0				
TR ANSPORTER		sporter 1 Printed/Typed Nan			Sign	ature					Month Day	Year
Ö		Rec. 1 41	mbers				Carlo	Address of			11/12/	16
SS	Trans	sporter 2 Printed/Typed Nan	ne /		Sign	ature	All Marketines				Month Day	Year
RA			,		ı						"	
<u> </u>	18 🗅	Discrepancy										
			20 [				7					
	108.	Discrepancy Indication Spa	ce Quantity	Type			Residue		Partial Reje	ection	Full Reje	ection
							'	<b>8</b> 1 1				, sal
<del>`</del> -	18h	Alternate Facility (or Genera	ator			Ma	nifest Reference	Number:	U.S. EPA ID N	imber		
片	ו עטו	rmornate i ability (UI Gellela	inoi j						5.5. LI A ID N	an ibot		
ACI									ı			
D.		ity's Phone:	ty (or Conorator)						L		Month Day	Year
뗃	TOC.	Signature of Alternate Facility	ty (or Generator)								Month Day	rear
l¥l												
DESIGNATED FACILITY	19. H	lazardous Waste Report Ma	nagement Method Codes (i.e., codes for hazard	dous waste treatr	ment, disposal,	and recy	cling systems)		<del></del>			
尚	1.		2.		3.			7	4.			*-
		TIU									9	
			Operator: Certification of receipt of hazardous	materials covered			as noted in Item	18a				
	Printe	ed/Typed Name	Per service de la constitución d		Sign	ature	the state of the s	and the second second second	and the second second second second	Service address of the Committee	Month Day	Year
[↓		WH Ladew	1014			加-	- in the state of	And the state of the second of the second second	en e		7 21	U
EPA	Form	n 8700-22 (Rev. 3-05) P	revious editions are obsolete.			ξ.		- Vi	DESI	GNATED	FACILITY TO GEN	ERATOR

DESIGNATED FACILITY TO GENERATOR